






Subj: PCN for Packaging Box Change

No:

Date: 2023-01-10

QC-JS-011-W02

Customer	Moduli Elettronici&Comp. S. p. a		
Product type	Please refer to attached table	Sales confirmation	
Change type: <input type="checkbox"/> Material <input type="checkbox"/> Design <input type="checkbox"/> Process <input type="checkbox"/> Production place <input checked="" type="checkbox"/> Other(Multiple choice)			
Change Reason: Integrate packaging box size and optimize product packaging weight.			
Before change		After change	
<p>Line up packaging:</p> <p>1、 Inner box (Single layer thickness is 3mm)</p>  <p>Protection method: interlayer EPE gasket (8mm), gap filled with EPE gasket and cross shape sealing.</p> <p>2、 Outer box (Single layer thickness is 6mm)</p>  <p>Protection method: linear shape sealing</p>		<p>Line up packaging:</p> <p>1、 Inner box None</p> <p>2、 Outer box (Single layer thickness is 6mm)</p>  <p>Protection method: add protective cardboard (3mm) on the bottom and two sides near the product lead, EPE gasket between layers (12mm), fill the gap with EPE gasket and H-Shaped sealing</p>	
<p>Plastic bag packaging</p> <p>1、 Bag</p>  <p>2、 Inner box (Single layer thickness is 3mm)</p>		<p>Plastic bag packaging</p> <p>1、 Bag</p>  <p>2、 Inner box None</p>	



Protection method: linear shape sealing

3、 Outer box (Single layer thickness is 6mm)



3、 Outer box (Single layer thickness is 6mm)



Risk analysis for part performance & delivery:

No influence.

Related data: NO YES _____

Related samples: NO YES (_____ PCS)

Scheduled date of commencement	Switch naturally after customer agree	Hope the date of the customer reply	2023. 2
Contact	<i>Name: Aven Zheng T:13599450236 F:0592-6053293 E: zhengrj@faratronic.com.cn</i>		

Audit by	Zhuang Fengmei	Application dept.	Technical department
----------	----------------	-------------------	----------------------

Customer Reply

Reply	<input type="checkbox"/> Approved <input type="checkbox"/> Rejected <input type="checkbox"/> Conditional approved	Approved date	
Requirements/Approved condition:			
Part Evaluate:		Evaluated by	Approved by

Period of validity : A level

Attachment 1 Line up packaging:

Faratronic PN	Before Change				After Change	
	Inner packing quantity	Inner Packing Box	out packing quantity	Out Packing Box	packing quantity	Inner Packing Box
C3D1X106JB02382	168	268×165×160	504	500×280×187	330	342×254×183
C3D3L505KB00C00	168	268×165×160	504	500×280×187	330	342×254×183
C3D1X126KF0BC00	112	315×189×125	336	395×327×211	264	360×259×182
C46V2105MFOC350	112	315×189×125	336	395×327×211	264	360×259×182
C61R2106JFS00A1	84	315×189×125	252	395×327×211	216	360×259×182
C3D1X156KF02C00	98	315×189×125	294	395×327×211	160	360×259×159
C3D2K306JF0AC00	84	315×189×125	252	395×327×211	128	360×259×159
C3H3L205KF03000	84	315×189×125	252	395×327×211	128	360×259×159
C6AL4336KF00550	84	315×189×125	252	395×327×211	128	360×259×159
C6AQ1156KF00550	84	315×189×125	252	395×327×211	128	360×259×159
C6AQ1156KF2A000	84	315×189×125	252	395×327×211	128	360×259×159
C3D2H756JMOAC00	60	315×189×125	120	395×327×211	96	360×259×159
C3D1U756KMOAC00	50	315×189×135	150	435×327×211	84	360×259×159
C3D2K606JMOAC00	50	315×189×135	150	435×327×211	84	360×259×159
C3D2K606JM1AC00	50	315×189×135	150	435×327×211	84	360×259×159
C6AE2356JMOA000	50	315×189×135	150	435×327×211	84	360×259×159
C6AE2406JMOA000	50	315×189×135	150	435×327×211	84	360×259×159
C6AE2406JMOA550	50	315×189×135	150	435×327×211	84	360×259×159
C6AQ1256KMOA000	50	315×189×135	150	435×327×211	84	360×259×159
C6AE2506JM1A000	40	315×189×145	120	465×327×211	72	360×259×182
C3D1U147JMOAC00	20	315×189×125	60	395×327×211	60	360×259×182
C3D2K117JMOAC00	20	315×189×125	60	395×327×211	60	360×259×182
C3D3A706JMOAC00	20	315×189×125	60	395×327×211	60	360×259×182

Attachment 2: Plastic bag packaging

Faratronic PN	Bag packing quantity	Before Change				After Change	
		Inner packing quantity	Inner Packing Box	out packing quantity	Out Packing Box	packing quantity	Inner Packing Box
C43Q1105MFSC000	50	100	355×175×118	400	375×375×265	200	370×260×200
C46V2105MFOC000	30	60	355×175×118	240	375×375×265	120	370×260×200
C42Q2106KFWC000	25	50	355×175×118	200	375×375×265	100	370×260×200
C6AL4336KF00000	25	50	355×175×118	200	375×375×265	100	370×260×200